AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

(Currently Amended) A computer implemented method for facilitating trick mode 1 playback for a user, comprising:

accessing a plurality of encoded digital video frames and encoded digital audio frames on a first computer system;

identifying a subset of said encoded digital video frames for compressed video encoding; identifying a subset of said encoded digital audio frames for compressed audio encoding; for all said identified encoded digital video frames, encoding an associated playback video frame;

for all said identified encoded digital audio frames, encoding an associated playback audio frame;

downloading said encoded playback video frames and said encoded playback audio frames on a second computer system;

streaming said encoded digital video frames and said encoded digital audio frames to said second computer system thereby minimizing resources of said second computer system;

decoding said encoded digital video frames and said encoded playback video frames; decoding said encoded digital audio frames and said encoded playback audio frames;

if said user directs, incrementally playing said <u>decoded</u> digital video frames or said <u>decoded</u> playback video frames;

if said user directs, incrementally playing said <u>decoded</u> digital audio frames or said <u>decoded</u> playback audio frames;

enabling said user to switch between playing said <u>decoded</u> digital video frames and said decoded playback video frames;

enabling said user to switch between playing said <u>decoded</u> digital audio frames and said <u>decoded</u> playback audio frames;

enabling said user to change location of playing said decoded playback video frames; enabling said user to change location of playing said decoded playback audio frames; when switching from playing said decoded playback video frames to playing said decoded digital video frames, matching playing of said decoded digital video frames with said location of playing said decoded playback video frames; and when switching from playing said decoded playback audio frames to playing said decoded digital audio frames, matching playing of said decoded digital audio frames with said location of playing said decoded playback audio frames.

- (Original) The method of Claim 1 further comprising said second computer system including a data server computer system and a client computer system.
- (Original) The method of Claim 1 further comprising said first computer system including an initiating computer system and a data server computer system.

computer system.

- 4. (Currently Amended) The method of Claim 1 further comprising, when said user directs incrementally playing said decoded playback video frames, enabling said user to direct playing of said decoded playback video frames in either a forward direction or a reverse direction.
- (Currently Amended) The method of Claim 1 further comprising:
 playing said <u>decoded</u> digital video frames via a digital window on said second computer system; and
 playing said <u>decoded</u> playback video frames via a preview window on said second
- 6. (Currently Amended) The method of Claim 1 further comprising: playing said <u>decoded</u> digital video frames via a digital window on said second computer system; and playing said <u>decoded</u> playback video frames via overlaying a preview window on said digital window.
- 7. (Currently Amended) A computer implemented method for facilitating fast audio playback for a user, comprising:

accessing a plurality of encoded digital audio frames on a first computer system; identifying a subset of said encoded digital audio frames for compressed audio encoding; for all said identified encoded digital audio frames, encoding an associated playback audio frame;

downloading said encoded playback audio frames on a second computer system;

streaming said encoded digital audio frames to said second computer system thereby minimizing resources of said second computer system;

decoding said encoded digital audio frames and said encoded playback audio frames; if said user directs, incrementally playing said decoded digital audio frames or said decoded playback audio frames;

enabling said user to switch between playing said <u>decoded</u> digital audio frames and said <u>decoded</u> playback audio frames;

enabling said user to change location of playing said <u>decoded</u> playback audio frames; and when switching from playing said <u>decoded</u> playback audio frames to playing said <u>decoded</u> digital audio frames, matching playing of said <u>decoded</u> digital audio frames with said location of playing of said <u>decoded</u> playback audio frames.

- (Original) The method of Claim 7 further comprising said second computer system including a data server computer system and a client computer system.
- (Original) The method of Claim 7 further comprising said first computer system including an initiating computer system and a data server computer system.
- 10. (Currently Amended) The method of Claim 7 further comprising: playing said <u>decoded</u> digital audio frames via a digital window on said second computer system; and

playing said <u>decoded</u> playback audio frames via a preview window on said second computer system.

- 11. (Currently Amended) The method of Claim 10 further comprising: associating audio attributes with said <u>decoded</u> playback audio frames; and representing said associated audio attributes on said preview window.
- 12. (Currently Amended) A computer implemented method for facilitating trick mode playback for a user, comprising:

accessing a plurality of encoded digital video frames and a plurality of encoded digital audio frames on a first computer system;

identifying a subset of said encoded digital video frames for compressed video encoding; identifying a subset of said encoded digital audio frames for compressed audio encoding; for all said identified encoded digital video frames, encoding an associated playback video frame;

for all said identified encoded digital audio frames, encoding an associated playback audio frame;

downloading said encoded playback video frames and said encoded playback audio frames on a second computer system;

multiplexing said encoded digital video frames and said encoded digital audio frames on said first computer system;

streaming said multiplexed digital frames to said second computer system thereby minimizing resources of said second computer system;

de-multiplexing said multiplexed digital frames;

decoding said encoded digital video frames, said encoded digital audio frames, said encoded playback video frames, and said encoded playback audio frames; and if said user directs:

synchronizing said decoded digital video frames and said decoded digital audio frames and playing said synchronized digital video frames and digital audio frames; or

synchronizing said decoded playback video frames and said decoded playback audio frames and playing said synchronized playback video frames and playback audio frames;

enabling said user to switch between playing said synchronized digital video frames and digital audio frames and said synchronized playback video frames and playback audio frames:

enabling said user to change location of playing said synchronized playback video frames and playback audio frames; and

when switching to playing said synchronized digital video frames and digital audio frames, matching playing of said synchronized digital video frames and digital audio frames with said location of playing of said synchronized playback video frames and playback audio frames.

(Original) The method of Claim 12 further comprising said second computer system 13. including a data server computer system and a client computer system.

- (Original) The method of Claim 12 further comprising said first computer system 14. including an initiating computer system and a data server computer system.
- 15. (Original) The method of Claim 12 further comprising: playing said synchronized digital video frames and digital audio frames via a digital window on said second computer system; and playing said synchronized playback video frames and playback audio frames via a preview window on said second computer system.
- 16. (Original) The method of Claim 12 further comprising: playing said synchronized digital video frames and digital audio frames via a digital window on said second computer system; and playing said synchronized playback video frames and playback audio frames via overlaying a preview window on said digital window.
- (Currently Amended) A computer implemented method for facilitating trick mode 17. playback on a computer system for a user, comprising:

accessing a plurality of encoded digital video frames and a plurality of encoded digital audio frames:

identifying a subset of said encoded digital video frames for compressed video encoding; identifying a subset of said encoded digital audio frames for compressed audio encoding; for all said identified encoded digital video frames, encoding an associated playback video frame;

for all said identified encoded digital audio frames, encoding an associated playback audio frame:

- downloading said encoded playback video frames and said encoded playback audio frames on said computer system;
- decoding said encoded digital video frames and said encoded playback video frames on said computer system;
- decoding said encoded digital audio frames and said encoded playback audio frames on said computer system;
- if said user directs, incrementally playing said decoded digital video frames or said decoded playback video frames;
- if said user directs, incrementally playing said decoded digital audio frames or said decoded playback audio frames;
- enabling said user to switch between playing said decoded digital video frames and said decoded playback video frames;
- enabling said user to switch between playing said decoded digital audio frames and said decoded playback audio frames;

enabling said user to change location of playing said decoded playback video frames; enabling said user to change location of playing said decoded playback audio frames; when switching from playing said decoded playback video frames to playing said decoded digital video frames, matching playing of said decoded digital video frames with said location of playing said decoded playback video frames; and playback audio frame;

Office Action mail date: February 9, 2006

when switching from playing said <u>decoded</u> playback audio frames to playing said <u>decoded</u> digital audio frames, matching playing of said <u>decoded</u> digital audio frames with said location of playing said <u>decoded</u> playback audio frames.

18. (Currently Amended) A computer implemented method for facilitating fast audio playback on a computer system for a user, comprising:

accessing a plurality of encoded digital audio frames;

identifying a subset of said encoded digital audio frames for compressed audio encoding;
for all said identified encoded digital audio frames, encoding an associated

downloading said encoded playback audio frames on said computer system;

decoding said <u>encoded</u> digital audio frames and said <u>encoded</u> playback audio frames on said computer system;

if said user directs, incrementally playing said <u>decoded</u> digital audio frames or said <u>decoded</u> playback audio frames;

enabling said user to switch between playing said <u>decoded</u> digital audio frames and said <u>decoded</u> playback audio frames;

enabling said user to change location of playing said <u>decoded</u> playback audio frames; and when switching from playing said <u>decoded</u> playback audio frames to playing said <u>decoded</u> digital audio frames, matching playing of said <u>decoded</u> digital audio frames with said location of playing of said <u>decoded</u> playback audio frames.

(Currently Amended) An article of manufacture comprising a program storage medium 10 readable by a computer and embodying one or more instructions executable by said computer for causing a computer system to facilitate trick mode playback for a user, comprising:

accessing a plurality of encoded digital video frames and a plurality of encoded digital audio frames on a first computer system;

identifying a subset of said encoded digital video frames for compressed video encoding; identifying a subset of said encoded digital audio frames for compressed audio encoding; for all said identified encoded digital video frames, encoding an associated playback video frame;

for all said identified encoded digital audio frames, encoding an associated playback audio frame;

downloading said encoded playback video frames and said encoded playback audio frames on a second computer system;

streaming said encoded digital video frames and said encoded digital audio frames to said second computer system thereby minimizing resources of said second computer system;

decoding said encoded digital video frames and said encoded playback video frames; decoding said encoded digital audio frames and said encoded playback audio frames; if said user directs, incrementally playing said decoded digital video frames or said decoded playback video frames;

if said user directs, incrementally playing said decoded digital audio frames or said decoded playback audio frames;

enabling said user to switch between playing said decoded digital video frames and said decoded playback video frames;

enabling said user to switch between playing said decoded digital audio frames and said decoded playback audio frames;

enabling said user to change location of playing said decoded playback video frames; enabling said user to change location of playing said decoded playback audio frames; when switching from playing said decoded playback video frames to playing said decoded digital video frames, matching playing of said decoded digital video frames with said location of playing said decoded playback video frames; and when switching from playing said decoded playback audio frames to playing said decoded digital audio frames, matching playing of said decoded digital audio frames with said location of playing said decoded playback audio frames.

- 20. (Original) The article of manufacture of Claim 19 further comprising said second computer system including a data server computer system and a client computer system.
- (Original) The article of manufacture of Claim 19 further comprising said first computer 21. system including an initiating computer system and a data server computer system.
- 22. (Currently Amended) An article of manufacture comprising a program storage medium readable by a computer and embodying one or more instructions executable by said computer for causing a computer system to facilitate fast audio playback for a user, comprising:

accessing a plurality of encoded digital audio frames on a first computer system;

identifying a subset of said encoded digital audio frames for compressed audio encoding; for all said identified encoded digital audio frames, encoding an associated playback audio frame;

downloading said encoded playback audio frames on a second computer system; streaming said encoded digital audio frames to said second computer system thereby minimizing resources of said second computer system;

decoding said encoded digital audio frames and said encoded playback audio frames: if said user directs, incrementally playing said decoded digital audio frames or said decoded playback audio frames;

enabling said user to switch between playing said decoded digital audio frames and said decoded playback audio frames;

enabling said user to change location of playing said decoded playback audio frames; and when switching from playing said decoded playback audio frames to playing said decoded digital audio frames, matching playing of said decoded digital audio frames with said location of playing of said decoded playback audio frames.

- (Previously Presented) The article of manufacture of Claim 22 further comprising said 23. second computer system including a data server computer system and a client computer system.
- 24. (Previously Presented) The article of manufacture of Claim 22 further comprising said first computer system including an initiating computer system and a data server computer system.

25, (Currently Amended) A computer system for facilitating trick mode playback for a user, comprising:

a first computer system having:

- a plurality of encoded digital video frames on a first said computer system;
- a plurality of encoded digital audio frames on said first computer system;
- a subset of said encoded digital video frames that are identified for compressed video encoding;
- a subset of said encoded digital audio frames that are identified for compressed audio encoding;
- for all said identified encoded digital video frames, an associated encoded playback video frame; and
- for all said identified encoded digital audio frames, an associated encoded playback audio frame;

a second computer system having:

- said encoded playback video frames that are downloaded thereto; on a second said computer system;
- said encoded playback audio frames that are downloaded thereto; on said second computer-system;
- said encoded digital video frames and said encoded digital audio frames that are streamed thereto to said second computer system thereby minimizing resources of said second computer system;

said decoded digital video frames that are decoded from said encoded digital video frames;

said decoded digital audio frames that are decoded from said encoded digital audio frames;

said decoded playback video frames that are decoded from said encoded playback video frames:

said decoded playback audio frames that are decoded from said encoded playback audio frames:

while wherein said user directs:

said <u>decoded</u> digital video frames being incrementally played on said second computer system; or

said <u>decoded</u> playback video frames being incrementally played on said second computer system;

while said user directs:

said <u>decoded</u> digital audio frames being incrementally played on said second computer system; or

said <u>decoded</u> playback audio frames being incrementally played on said second computer system;

a location of playing said <u>decoded</u> playback video frames being changed by said user;

and

a location of playing said decoded playback audio frames being changed by said user;

and

said location of playing facilitating synchronized playing of said <u>decoded</u> digital video frames when said user directs playing said <u>decoded</u> digital video frames after playing said decoded playback video frames; and

said location of playing facilitating synchronized playing of said <u>decoded</u> digital audio frames when said user directs playing said <u>decoded</u> digital audio frames after playing said decoded playback audio frames.

- 26. (Original) The computer system of Claim 25 further comprising said second computer system including a data server computer system and a client computer system.
- 27. (Original) The computer system of Claim 25 further comprising said first computer system including an initiating computer system and a data server computer system.
- 28. (Currently Amended) A computer system for facilitating fast audio playback for a user, comprising:

a first computer system having:

a plurality of encoded digital audio frames on a first said computer system;

a subset of said encoded digital audio frames that are identified for compressed audio encoding;

for all said identified encoded digital audio frames, an associated encoded

playback audio frame; and

said encoded playback audio frames that are downloaded on a second said computer system;

Application No. 09/895,055 Amendment dated May 9, 2006

Office Action mail date: February 9, 2006

a second computer system having;

said encoded digital audio frames that are streamed thereto to said second computer computer system thereby minimizing resources of said second computer system;

said decoded digital audio frames that are decoded from said encoded digital audio frames; and

said decoded playback audio frames that are decoded from said encoded playback audio frames:

while wherein said user directs:

said <u>decoded</u> digital audio frames being incrementally played on said second computer system; or

said <u>decoded</u> playback audio frames being incrementally played on said second computer system;

a location of playing said <u>decoded</u> playback audio frames being changed by said user; and

said location of playing facilitating synchronized playing of said <u>decoded</u> digital audio frames when said user directs playing said <u>decoded</u> digital audio frames after playing said <u>decoded</u> playback audio frames.

29. (Original) The computer system of Claim 28 further comprising said second computer system including a data server computer system and a client computer system. Application No. 09/895,055 Amendment dated May 9, 2006

Office Action mail date: February 9, 2006

- 30. (Original) The computer system of Claim 28 further comprising said first computer system including an initiating computer system and a data server computer system.
- 31. (Previously Presented) The method of Claim 1 further comprising said encoded digital video frames and encoded digital audio frames including time stamp information.
- 32. (Previously Presented) The method of Claim 7 further comprising said encoded digital video frames and encoded digital audio frames including time stamp information.